NPS Form 10-900 (Oct.-1990) NR Listed: 6-6-02 OMB No. 10024-0018

# United States Department of the Interior National Park Service

## ational Register of Historic Places Registration Form

This form is for use in nominating or requesting determinations for individual properties and districts. See instructions in How to Complete the National Register of Historic Places Registration Form (National Register Bulletin 16A). Complete each item by marking "x" in the appropriate box or by entering the information requested. If an item does not apply to the property being documented, enter "N/A" for "not applicable." For functions, architectural classification, materials, and areas of significance, enter only categories and subcategories from the instructions. Place additional entries and narrative items on continuation sheets (NPS Form 10-900a). Use a typewriter, word processor, or computer, to complete all items.

1 N CP
1. Name of Property
historic name Menifee High School Gymnasium
other names/site number CN0160
2. Location
street & number Northwest Corner of North Park Street and East Mustang Street not for publication
city or town Menifee
state Arkansas code AR County Conway code 029 zip code 72107
3. State/Federal Agency Certification
As the designated authority under the National Historic Preservation Act, as amended, I hereby certify that this nomination request for determination of eligibility meets the documentation standards for registering properties in the National Register of Historic Places and meets the procedural and professional requirements set for in 36 CFR Part 60. In my opinion, the property meets does not meet the National Register criteria. I recommend that this property be considered significant attentionally statewide locally. (See continuation sheet for additional comments.)    Signature of certifying official/Title   Date
State or Federal agency and bureau
4. National Park Service Certification
I hereby certify that the property is:  centered in the National Register. See continuation sheet determined eligible for the National Register. See continuation sheet determined not eligible for the National Register. removed from the National Register. other, (explain:)

Merrifee High School Gymnasium Name of Property	Conway County, Arkansas County and State			
5. Classification				
ownership of Property eck as many boxes as apply)  Category of Property (Check only one box)	Number of Resources within Property (Do not include previously listed resources in count.)			
<ul> <li>□ private</li> <li>□ public-local</li> <li>□ public-State</li> <li>□ building(s)</li> <li>□ district</li> <li>□ site</li> </ul>	Contributing Noncontributing l building			
public-Federal structure	sites			
object	structure			
	objects 1 0 Total			
Name of related multiple property listing (Enter "N/A" if property is not part of a multiple property listing.)	Number of Contributing resources previously listed in the National Register			
Public Schools in the Ozarks, 1920-1940	N/A			
6. Function or Use				
Historic Functions (Enter categories from instructions)	Current Functions (Enter categories from instructions)			
RECREATION AND CULTURE: sports facility	VACANT/NOT IN USE			
. 1 10 high fe				
100 March 199 C				
	· · · · · · · · · · · · · · · · · · ·			
7. Description				
Architectural Classification (Enter categories from instructions)	Materials (Enter categories from instructions)			
Bungalow/Craftsman	Foundation STONE			
	walls STONE			
	roof ASPHALT			

Narrative Description (Describe the historic and current condition of the property on one or more continuation sheets.)

SEE CONTINUATION SHEET

Menifee High School Gymnasium  Name of Property	Conway County, Arkansas County and State
8. Statement of Significance	
"nplicable National Register Criteria rk "x" in one or more boxes for the criteria qualifying the property für National Register listing.)	Levels of Significance (local, state, national) Local
A Property is associated with events that have made a significant contribution to the broad patterns of our history.	Areas of Significance (Enter categories from instructions)
☐ B Property is associated with the lives of persons significant in our past.	ENTERTAINMENT/RECREATION
C Property embodies the distinctive characteristics of a type, period, or method of construction or represents the work of a master, or possesses high artistic values, or represents a significant and distinguishable entity whose components lack individual distinction.	Period of Significance
D Property has yielded, or is likely to yield, information important in prehistory or history.	
Criteria Considerations (Mark "x" in all the boxes that apply.)  Property is:  A owned by a religious institution or used for	Significant Dates 1938
religious purposes.  B removed from its original location.	Significant Person (Complete if Criterion B is marked) N/A
C moved from its original location.	Cultural Affiliation (Complete if Criterion D is marked) N/A
<ul><li>□ D a cemetery.</li><li>□ E a reconstructed building, object, or structure.</li></ul>	
☐ F a commemorative property	Architect/Builder WPA
☐ G less than 50 years of age or achieved significance within the past 50 years.	WFA
Narrative Statement of Significance (Explain the significance of the property on one or more continuation sheets.)	
9. Major Bibliographical References	
Bibliography (Cite the books, articles, and other sources used in preparing this form on one	or more continuation sheets.)
Correspondence from Rubye M. Jamison to Roy L. Wert	t, 2001.
English, J.W. Menifee Past and Present, p. 6, 14, 18.	
eman McKindra's 1995 speech (unpublished).	
Previous documentation on file (NPS):  preliminary determination of individual listing (36  CFR 67) has been requested	Primary location of additional data:  ☑ State Historic Preservation Office ☐ Other State Agency

previously listed in the National Register Previously determined eligible by the National Register designated a National Historic Landmark recorded by Historic American Buildings Survey	☐ Federal Agency ☐ Local Government ☐ University ☐ Other Name of repository:
recorded by Historic American Engineering	
Record #	

Menifee High School Gymnasium Name of Property			Conway County, Arkansas County and State			
10. Geographical Data						
reage of Property	Less than one acre.	_				
UTM References (Place additional UTM reference	ces on a continuation sheet.)					
1 15 541291	3889253		3			
Zone Easting 2	Northing		4	Zone	Easting	Northi
			•	See	continuation she	 eci
Section 24, Township 6, turn west and continue w property boundary, turn f	Property on a continuation sheet.)  Range 15W. Beginning at an imaginary pest for a distance of 75 feet to a point form acing south and continue south approximation.	ned by the inte ntely 65 feet to	ersection o a point	n of this t formed	line with the by the inters	easternmost section of this l
(Describe the boundaries of the Section 24, Township 6, turn west and continue w property boundary, turn twith the southernmost property	property on a continuation sheet.)  Range 15W. Beginning at an imaginary p est for a distance of 75 feet to a point form	ned by the inte stely 65 feet to inue east appr	ersection o a point	n of this t formed	line with the by the inters	easternmost section of this l
(Describe the boundaries of the Section 24, Township 6, turn west and continue w property boundary, turn is with the southernmost proad, turning north and for Boundary Justification	Property on a continuation sheet.)  Range 15W. Beginning at an imaginary pest for a distance of 75 feet to a point form facing south and continue south approximate operty boundary, turn facing east and continue south approximates.	ned by the inte stely 65 feet to inue east appr	ersection o a point	n of this t formed	line with the by the inters	easternmost section of this l
(Describe the boundaries of the Section 24, Township 6, turn west and continue w property boundary, turn is with the southernmost proad, turning north and for Boundary Justification (Explain why the boundaries w	Range 15W. Beginning at an imaginary p est for a distance of 75 feet to a point form acing south and continue south approximation below the curb until you reach the point of	ned by the intentely 65 feet to inue east approper beginning.	ersection o a point oximate	n of this t formed ely 75 fe	line with the i by the intersect until you t	easternmost section of this l reach the curb of
(Describe the boundaries of the Section 24, Township 6, turn west and continue w property boundary, turn is with the southernmost proad, turning north and for Boundary Justification (Explain why the boundaries w This boundary contains	Range 15W. Beginning at an imaginary p est for a distance of 75 feet to a point form acing south and continue south approximation between the curb until you reach the point of the selected on a continuation sheet.)	ned by the intentely 65 feet to inue east approper beginning.	ersection o a point oximate	n of this t formed ely 75 fe	line with the i by the intersect until you t	easternmost section of this l reach the curb of
Describe the boundaries of the Section 24, Township 6, turn west and continue w property boundary, turn fwith the southernmost proad, turning north and for Boundary Justification (Explain why the boundaries w This boundary contains 1960 tornado.	Range 15W. Beginning at an imaginary p est for a distance of 75 feet to a point form acing south and continue south approximation between the curb until you reach the point of the selected on a continuation sheet.)	ned by the intentely 65 feet to inue east approper beginning.  It building references to the control of the con	ersection o a point coximate	n of this t formed ely 75 fe	line with the i by the intersect until you t	easternmost section of this l reach the curb of
Section 24, Township 6, turn west and continue w property boundary, turn fwith the southernmost proad, turning north and for Boundary Justification (Explain why the boundaries w This boundary contains 1960 tornado.  11. Form Prepared By Jerry Colem	Range 15W. Beginning at an imaginary pest for a distance of 75 feet to a point form acing south and continue south approximation operty boundary, turn facing east and controllow the curb until you reach the point of the selected on a continuation sheet.)  In the 1938 gymnasium which is the on	ned by the intentely 65 feet to inue east approper beginning.  It building references to the control of the con	ersection o a point roximate remaini	n of this t formed ely 75 fe	line with the i by the intersect until you t	easternmost section of this l reach the curb of
Section 24, Township 6, turn west and continue w property boundary, turn with the southernmost proad, turning north and for Boundary Justification (Explain why the boundaries w This boundary contains 1960 tornado.  11. Form Prepared By Jerry Colen organization Menifee	Range 15W. Beginning at an imaginary pest for a distance of 75 feet to a point form facing south and continue south approximate operty boundary, turn facing east and controllow the curb until you reach the point of the ere selected on a continuation sheet.)  Is the 1938 gymnasium which is the on the man/President (Edited by Amy Bennett/S	ned by the intentely 65 feet to inue east approper beginning.  It building references to the control of the con	ersection o a point roximate remaini	n of this t formed ely 75 fe	line with the is by the intersect until your the school	easternmost section of this reach the curb complex aft

County and State

United States Department of the Interior National Park Service

## National Register of Historic Places Continuation Sheet

Section number	7	Page	1	

### SUMMARY

The Menifee High School Gymnasium, constructed in 1938 by the WPA, is a one-story uncoursed fieldstone gymnasium with a rectangular plan and a gable roof. Though the primary windows are now covered by plywood, they are nine-over-six double-hung wood frame windows. A second row of smaller windows beneath the cornice provides light to the large space within. These are circa 1970 replacements of the original clerestory windows. The building's exposed rafter ends, side gabled roof, and the two prominent porches supported by field stone piers make it a representative example of a WPA designed gymnasium. Sited on a gradually sloping hill just south of the northwest corner of North Park Street and East Mustang Street, the gymnasium is the only building of the circa 1938 school complex to survive the 1960 tornado. The only outbuilding to survive the tornado intact now lies outside the property boundary of the gymnasium. This well house has suffered the reconfiguration of its roofline from pyramidal to gable.

## **ELABORATION**

The Menifee High School Gymnasium is a single story, fieldstone veneer gymnasium building designed in a restrained version of the Craftsman style. Its rectangular plan is highlighted only by the two prominent single bay porches located on either end of the front façade. The side gabled roof is covered by composition shingles and is pierced by an interior chimney near the northwestern corner. The only addition to the building is located on the north elevation. This addition was added in the mid 1970s and features concrete block walls, and a low-pitched gable roof. The addition housed new shower facilities for the students.

The two porches feature a gable roof supported upon two fieldstone columns. The entrances are double-leafed with transom windows. The area above in the gable end is covered with a wide weatherboard siding. The north porch is the primary entrance and grants access to the break box and the old concession stand.

The interior consists of a stage located on the east side of the building, with a classroom on both ends of the stage. The walls are clad in beaded board in the public spaces and plain horizontal boards in the restrooms. The original restrooms are still accessible and are located underneath both ends of the bleachers. Four wooden columns extend from floor to ceiling. The beams are interfaced with the bleacher section. Lighting for the interior is accomplished by five rows of lights. The original gym floor is in poor condition due to water infiltration and pigeon droppings. Located near the property, but outside of this nomination is the aforementioned well house.

Menifee High S	School Gymnasium
Name of Property	

Conway County, Arkansas	
County and State	_

## United States Department of the Interior

National Park Service

## National Register of Historic Places Continuation Sheet

Section number 6 Page 1	Section number	8	Page	1
-------------------------	----------------	---	------	---

### **SUMMARY**

The Menifee High School Gymnasium in Conway County is being nominated with local significance under Criterion A through its direct association with the evolution of the public school system in the Ozark Mountain region of the state during the period covered by the historic context, *Public Schools in the Ozarks*, 1920-1940.

### **ELABORATION**

The Menifee High School Gymnasium constructed in 1938 falls under the historic context *Public Schools in the Ozarks*, 1920-1940, as a representative example of a stone gymnasium building constructed for a rural school district. It is significant locally under Criterion A through its association with the Works Progress Administration, School principal J. C. McDaniel and the school board were able to have a gymnasium built. At the time of its constructs, it was one of the "first three buildings established for the purpose of sporting events indoors in Arkansas for African Americans." The three structures were Rosston in Nevada County; Menifee's gym in Conway County; and AM&N's gym in Jefferson County." According to Mr. Mckindra, a graduate of the Conway County Training School, the building became "the life of the community." Citizens in the community worked on the building project. According to a letter from Ms. Rubye M. Jamison, the following Menifee carpenters also worked on the project: Mr. Robert Jamison, Mr. Charles "Boy" Thompson, Mr. Dewitt Winston, and a mber of the Hines family.

The Menifee High School Gymnasium became a place of pride for the students and families in Menifee. It was the place for local and state basketball tournaments; Menifee won several state basketball championships. In 1941, Eddie Lee Sutton, an English instructor began hosting "The Dramatic Tournament" on the stage inside the gymnasium. The school debating team also hosted state events on the stage of the gym. The spring agricultural shows hosted by Menifee's NFA were held in the gymnasium. In addition, all proms and large school assemblies were held in the gymnasium building.

The Menifee High School Gymnasium also served as a community center hosting public events for the community of Menifee. The gymnasium maintained its prominence in the community in that it was the only one of the school buildings to survive the 5 May 1960 tornado intact. Following the tornado, the gymnasium was used as a temporary classroom building for students until other arrangements could be made to continue classes.

Since 1965, Menifee has been an incorporated town with a Mayor/Alderman form of governing. In 1966, the town hired its first town Marshall and established the Menifee Waterworks. In the 1970s, gravel lanes became paved streets with street signs. It was also during the 1970s that the building gained an addition to the building containing modern showers. In 1980, the Menifee School was merged with the Morrilton and Plummerville Schools to form the South Conway County School District, and in June 1989, the district gave the City of Menifee its gymnasium back. Since that time the building and its property have been in the hands of the Menifee City government.

### Significance

The Menifee High School Gymnasium constructed in 1938 falls under the historic context *Public Schools in the Ozarks*, 1920-1940, as a representative example of a stone gymnasium building constructed for a rural school district. It is being ninated under Criterion A with local significance.











